SDS Revision Date: 03/12/2015

### 1. Identification

1.1. Product identifier

Product Identity Ambush

Alternate Names Heavy Duty Cleaner Degreaser

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useSee Technical Data Sheet.Application MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Ridgway Industries, Inc.

P.O. Box 660, Darby PA 19023

**Emergency** 

**PERS- Contract # 9107** (800) 633-8253

24 hour Emergency Telephone No.

Customer Service: Ridgway Industries, Inc. (610) 259-5534

## 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Skin Corr. 1B;H314 Causes severe skin burns and eye damage.

Eye Dam. 1;H318 Causes serious eye damage.

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



### **Danger**

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

#### [Prevention]:

P260 Do not breathe mist / vapors / spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

#### [Response]:

SDS Revision Date: 03/12/2015

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor / physician.

P363 Wash contaminated clothing before reuse.

#### [Storage]:

P405 Store locked up.

#### [Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Potassium hydroxide. CAS Number: 0001310-58-3	1.0 - 10	Acute Tox. 4;H302 Skin Corr. 1A;H314	[1][2]
Tetrasodium EDTA CAS Number: 0000064-02-8	1.0 - 10	Acute Tox. 4;H302 Eye Dam. 1;H318	[1]
Ethylene glycol monobutyl ether CAS Number: 0000111-76-2	1.0 - 10	Acute Tox. 4;H332 Acute Tox. 4;H312 Acute Tox. 4;H302 Eye Irrit. 2;H319 Skin Irrit. 2;H315	[1][2]
Sodium phosphate, tribasic CAS Number: 0007601-54-9	1.0 - 10	Skin Irrit. 2;H315 Eye Dam. 1;H318	[1]
Nonylphenol polyethoxylate CAS Number: 0009016-45-9	1.0 - 10	Eye Dam. 2A;H319 Skin Irrit. 2;H315 Aquatic Chronic 2;H411 Acute Tox. 4;H302	[1][3]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First aid measures

#### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

<sup>[1]</sup> Substance classified with a health or environmental hazard.

<sup>[2]</sup> Substance with a workplace exposure limit.

<sup>[3]</sup> PBT-substance or vPvB-substance.

<sup>\*</sup>The full texts of the phrases are shown in Section 16.

SDS Revision Date: 03/12/2015

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

**Ingestion** Do NOT induce vomiting. Rinse mouth and slowly drink several glasses of water. Call a

physician. Do NOT give anything by mouth to an unconscious or convulsing person.

#### 4.2. Most important symptoms and effects, both acute and delayed

Overview Effects of Overexposure

Skin: Moderate skin irritant. Prolonged or repeated contact may cause redness, dermatitis.

**Eyes:** Eye irritant. Liquid and mists will cause tearing, redness, burning sensation. **Inhalation:** Vapors and mists may be irritating to mucous membranes in the nose, throat,

and lungs.

Ingestion: Irritating to the mouth and throat. May cause headache, nausea, abdominal

pain, vomiting, and diarrhea. Excessive amounts may cause collapse.

See section 2 for further details.

**Eyes** Causes serious eye damage.

**Skin** Causes severe skin burns and eye damage.

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Use media appropriate for surround area.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Alkaline vapors in a fire.

Do not breathe mist / vapors / spray.

#### 5.3. Advice for fire-fighters

None

ERG Guide No. ----

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Floors will become slippery. Avoid walking in product. Keep unessential personnel away. Mop up or otherwise absorb

SDS Revision Date: 03/12/2015

and hold disposal. Avoid discharge to sewer or open waterways.

## 7. Handling and storage

#### 7.1. Precautions for safe handling

WARNING: Eye Irritant. May cause skin irritation with prolong or repeated contact. Avoid contact with eyes, skin and clothing. Wear rubber gloves, chemical splash goggles and protective outerwear when handling. Avoid breathing of vapors or mists. Use in well-ventilated area. Keep out of reach of children. For use by trained personnel only. Keep container closed during storage.

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Containers should be stored in a cool, dry, well-ventilated area. Exercise due caution to prevent damage to or leakage from the container. Keep containers closed when not in use.

Incompatible materials: Caustics. Acids. Oxidizers.

See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

For institutional and industrial use only.

### 8. Exposure controls and personal protection

#### 8.1. Control parameters

#### **Exposure**

CAS No.	Ingredient	Source	Value
0000064-02-8	Tetrasodium EDTA	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0000111-76-2	Ethylene glycol monobutyl ether	OSHA	TWA 50 ppm (240 mg/m3) [skin]
		ACGIH	TWA: 20 ppmRevised 2003,
		NIOSH	TWA 5 ppm (24 mg/m3) [skin]
		Supplier	No Established Limit
0001310-58-3	Potassium hydroxide.	OSHA	No Established Limit
		ACGIH	Ceiling: 2 mg/m3
		NIOSH	C 2 mg/m3
		Supplier	No Established Limit
0007601-54-9	Sodium phosphate, tribasic	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0009016-45-9	Nonylphenol polyethoxylate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

SDS Revision Date: 03/12/2015

Supplier No Established Little			Oupplici	No Established Limit
--------------------------------	--	--	----------	----------------------

#### Carcinogen Data

CAS No.	Ingredient	Source	Value			
0000064-02-8	Tetrasodium EDTA	OSHA	Select Carcinogen: No			
		NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
0000111-76-2	Ethylene glycol monobutyl ether	OSHA	Select Carcinogen: No			
		NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;			
0001310-58-3 Potassium hydroxide.		OSHA	Select Carcinogen: No			
		NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
0007601-54-9 Sodium phosphate, tribasic		OSHA	Select Carcinogen: No			
		NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
0009016-45-9	Nonylphenol polyethoxylate	ylphenol polyethoxylate OSHA	Select Carcinogen: No			
		NTP	Known: No; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			

#### 8.2. Exposure controls

**Respiratory** If workers are exposed to concentrations above the exposure limit they must use the

appropriate, certified respirators.

**Eyes** Safety glasses or chemical splash goggles.

**Skin** Wear overalls to keep skin contact to a minimum. Wear protective rubber footwear when

using on floor. Chemical resistant rubber or neoprene gloves.

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

# 9. Physical and chemical properties

Appearance Thin red Liquid
Odor Characteristic
Odor threshold Not Measured
pH 12.0 - 13.0
Melting point / freezing point Not available

SDS Revision Date: 03/12/2015

Initial boiling point and boiling range 212°F

Flash Point

Evaporation rate

Value = 1

Flammability (solid, gas)

Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not applicable

Upper Explosive Limit: Not applicable

Vapor pressure 20 mm Hg @ 68°F

Vapor Density> 1 (Air = 1)Specific Gravity1.021Solubility in WaterCompletePartition coefficient n-octanol/water (Log Kow)Not MeasuredAuto-ignition temperatureNot applicableDecomposition temperatureNot availableViscosity (cSt)Not available

**VOC Content** 2.93% (wt/wt), 0.26 lbs/gal., 30.9 grams/liter

% Volatile 85+

9.2. Other information

No other relevant information.

### 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

Incompatible with strong oxidizers, leather and halogenated compounds. Product will react with 'soft' metals such as aluminum, tin, magnesium, and zinc releasing flammable hydrogen gas.

#### 10.4. Conditions to avoid

Do not mix with alkalis.

Sealed containers may develop explosive pressures under fire conditions. Use water to cool containers exposed to fire.

#### 10.5. Incompatible materials

Caustics. Acids. Oxidizers.

### 10.6. Hazardous decomposition products

Alkaline vapors in a fire.

SDS Revision Date: 03/12/2015

# 11. Toxicological information

### **Acute toxicity**

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
Potassium hydroxide (1310-58-3)	365.00, Rat - Category: 4	No data available	No data available	No data available	No data available
Tetrasodium EDTA - (64-02-8)	1,000.00, Rat - Category: 4	No data available	No data available	No data available	No data available
Ethylene glycol monobutyl ether - (111-76-2)	1,414.00, Guinea Pig - Category: 4	1,200.00, Guinea Pig - Category: 4	173.00, Guinea Pig - Category: NA	No data available	No data available
Sodium phosphate, tribasic - (7601-54-9)	No data available	No data available	No data available	No data available	No data available
Nonylphenol polyethoxylate - (9016-45-9)	2,000.00, Rat - Category: 4	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	1B	Causes severe skin burns and eye damage.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

SDS Revision Date: 03/12/2015

## 12. Ecological information

#### 12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

#### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Potassium hydroxide (1310-58-3)	Not Available	Not Available	Not Available
Tetrasodium EDTA - (64-02-8)	486.00, Lepomis macrochirus	610.00, Daphnia magna	100.00 (72 hr), Scenedesmus subspicatus
Ethylene glycol monobutyl ether - (111-76-2)	220.00, Fish (Piscis)	1,000.00, Daphnia magna	Not Available
Sodium phosphate, tribasic - (7601-54-9)	Not Available	Not Available	Not Available
Nonylphenol polyethoxylate - (9016-45-9)	1.30, Lepomis macrochirus	4.80, Daphnia pulex	12.00 (96 hr), Pseudokirchneriella subcapitata

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

# 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## 14. Transport information

For containers > 1 gallon: Cleaning Compound For 1 gallon containers: Cleaning Compound For containers < 1 gallon: Cleaning Compound

SDS Revision Date: 03/12/2015

## 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA

Inventory.

WHMIS Classification D2B E

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No Immediate (Acute): Yes

Delayed (Chronic): No

#### EPCRA 311/312 Chemicals and RQs (lbs):

Potassium hydroxide. (1,000.00)

Sodium phosphate, tribasic (5,000.00)

#### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 313 Toxic Chemicals:**

Ethylene glycol monobutyl ether

#### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **New Jersey RTK Substances (>1%):**

Ethylene glycol monobutyl ether

Potassium hydroxide.

Sodium phosphate, tribasic

#### Pennsylvania RTK Substances (>1%):

Ethylene glycol monobutyl ether

Potassium hydroxide.

Sodium phosphate, tribasic

SDS Revision Date: 03/12/2015

#### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

# This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of our products either alone or in combination with other products. It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. This company will accept no liability for damages or loss incurred from the improper handling and use of this product.

**End of Document**