SDS Revision Date: 02/25/2015

1. Identification

1.1. Product identifier

Product Identity Con-Clean Concrete Cleaner
Alternate Names Con-Clean Concrete Cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useHard Surface MasonaryApplication MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Ridgway Industries, Inc.

P.O. Box 660, Darby PA 19023

Emergency

PERS- Contract # 9107

24 hour Emergency Telephone No. (800) 633-8253 **Customer Service: Ridgway Industries, Inc.** (610) 259-5534

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Corr. 1A;H314 Causes severe skin burns and eye damage.

Eye Dam. 1;H318 Causes serious eye damage.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

[Prevention]:

P260 Do not breathe mist / vapors / spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

SDS Revision Date: 02/25/2015

[Response]:

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor / physician.

P363 Wash contaminated clothing before reuse.

[Storage]:

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Sodium hydroxide CAS Number: 0001310-73-2		Skin Corr. 1A;H314 Acute Tox. 4;H312	[1][2]
Sodium gluconate CAS Number: 0000527-07-1	1.0 - 10	Not Classified	[1]

^[1] Substance classified with a health or environmental hazard.

4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion Do not induce vomiting unless directed to do so by medical personnel. Never give anything

by mouth to an unconscious person. If potentially dangerous quantities of this material

have been swallowed, call a physician immediately.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.

^{*}The full texts of the phrases are shown in Section 16.

SDS Revision Date: 02/25/2015

4.2. Most important symptoms and effects, both acute and delayed

Overview Skin: Corrosive. Contact may cause severe irritation, dermatitis, and chemical burns.

Eyes: Severe eye irritant. Liquid and mists will damage eyes, causing corneal damage.

Inhalation: Vapors and mists may be severely irritating to mucous membranes in the nose,

throat, and lungs.

Ingestion: Irritating and corrosive to the mouth and throat. May cause headache, nausea,

abdominal pain, vomiting, and diarrhea. Excessive amounts may cause collapse.

See section 2 for further details.

Eyes Causes serious eye damage.

Skin Causes severe skin burns and eye damage.

5. Fire-fighting measures

5.1. Extinguishing media

Use media appropriate for surrounding area.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Alkaline vapors in a fire.

This product will react with "soft" metals such as aluminum, zinc, lithium, and magnesium to produce flammable hydrogen gas.

Do not breathe mist / vapors / spray.

5.3. Advice for fire-fighters

None

ERG Guide No. 154

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

This product will react with "soft" metals such as aluminum, zinc, lithium, and magnesium to produce flammable hydrogen gas.

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Floors will become slippery. Avoid walking in product. Keep unessential personnel away. Mop up or otherwise absorb and hold disposal. Avoid discharge to sewer or open waterways.

SDS Revision Date: 02/25/2015

Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for intended purpose. Consult local authorities for disposal in public sewer. Do not dispose of into storm drain, stream, river or to ground. Rinse container thoroughly before discarding in trash.

7. Handling and storage

7.1. Precautions for safe handling

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage. Keep container closed during storage.

Incompatible materials: Aluminum, tin, lead, zinc and their alloys, all acids, chlorinated and fluorinated hydrocarbons. See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

Keep out of reach of children. For institutional and industrial use only.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000527-07-1	Sodium gluconate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0001310-73-2	001310-73-2 Sodium hydroxide		TWA 2 mg/m3
		ACGIH	Ceiling: 2 mg/m3
	NIOSH	C 2 mg/m3	
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value		
0000527-07-1	Sodium gluconate	OSHA	Select Carcinogen: No		
		NTP	Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
0001310-73-2	Sodium hydroxide	OSHA	SHA Select Carcinogen: No		
		NTP	Known: No; Suspected: No		
	1	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		

SDS Revision Date: 02/25/2015

8.2. Exposure controls

Respiratory Use NIOSH/MSHA approved respirator, following manufacturer's recommendations when

concentrations exceed permissible exposure limits.

Eyes Safety glasses or chemical splash goggles.

Skin Chemical resistant clothing such as coveralls/apron and boots should be worn. Chemical

resistant rubber or neoprene.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Evewash should be nearby in case of contact. Protective outerwear should be worn when

> danger of splash may occur. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash

thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance Clear Liquid Odor Characteristic **Odor threshold** Not Measured

14.0

Melting point / freezing point Not Measured

Initial boiling point and boiling range 211F

Flash Point Not Measured **Evaporation rate** < 1 (Water=1) Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Measured

Upper Explosive Limit: Not Measured

Vapor pressure (Pa) 20 mmHg @ 68F

Vapor Density > 1 (Air=1)

Specific Gravity 1.2

Solubility in Water Complete Partition coefficient n-octanol/water (Log Kow) Not Measured **Auto-ignition temperature** Not Measured **Decomposition temperature** Not Measured

Viscosity (cSt) Not Measured % Volatile

9.2. Other information

No other relevant information.

+08

SDS Revision Date: 02/25/2015

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Product will absorb water and carbon dioxide.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Aluminum, tin, lead, zinc and their alloys, all acids, chlorinated and fluorinated hydrocarbons.

10.6. Hazardous decomposition products

Alkaline vapors in a fire.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
Sodium hydroxide - (1310-73-2)	6,600.00, Mouse - Category: NA	1,350.00, Rabbit - Category: 4	600.00, Mouse - Category: NA	No data available	No data available
Sodium gluconate - (527-07-1)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	1A	Causes severe skin burns and eye damage.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable

SDS Revision Date: 02/25/2015

Carcinogenicity	 Not Applicable
Reproductive toxicity	 Not Applicable
STOT-single exposure	 Not Applicable
STOT-repeated exposure	 Not Applicable
Aspiration hazard	 Not Applicable

12. Ecological information

12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l	
Sodium hydroxide - (1310-73-2)	196.00, Poecilia reticulata	40.38, Ceriodaphnia dubia	Not Available	
Sodium gluconate - (527-07-1)	Not Available	Not Available	Not Available	

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

SDS Revision Date: 02/25/2015

14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA

Transportation) Transportation)

14.1. UN numberNA1760UN1760UN176014.2. UN proper
shipping nameNA1760, Compounds, cleaning liquid,
(Potassium Hydroxide), 8, IIICorrosive liquids, n.o.s,
(Potassium Hydroxide)Corrosive liquids, n.o.s,
(Potassium Hydroxide)

14.3. Transport DOT Hazard Class: 8 IMDG: 8 Air Class: 8

hazard class(es)

14.4. Packing ||| ||| |||

group

14.5. Environmental hazards

IMDG Marine Pollutant:

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory.

WHMIS Classification D2B E

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs (lbs):

Sodium hydroxide (1,000.00)

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

SDS Revision Date: 02/25/2015

New Jersey RTK Substances (>1%):

Sodium hydroxide

Pennsylvania RTK Substances (>1%):

Sodium hydroxide

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of our products either alone or in combination with other products. It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. This company will accept no liability for damages or loss incurred from the improper handling and use of this product.

End of Document