

## SAFETY DATA SHEET

### 1. Identification

**Product identifier** 

Other means of identification Soft Touch Laundry Fabric Softener

Product code

Recommended use Fabric Softener

For industrial use only.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Ridgway Industries
Address P.O. Box 660
Darby, PA 19023

Telephone General

Emergency phone number PERS: Contract # 9107

Revision Date 05--1-2016

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A
Specific target organ toxicity, repeated Category 2

800-479-9548

800-633-8253

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment, Category 2

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation. May cause damage to organs through

prolonged or repeated exposure. Very toxic to aquatic life. Toxic to aquatic life with long lasting

effects.

**Precautionary statement** 

Prevention Wear eye/face protection. Do not breathe vapor. Wash thoroughly after handling. Avoid release to

the environment. Wear protective gloves.

**Response** If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Soft Touch Fabric Softener

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
_Methyl tallow diethylenetriamine condensate, polyethoxylated,		68410-69-5	5.0 - < 15
methyl sulfate		111-46-6	1 - < 5
Diethydene skueel			

Diethylene glycol

### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off

contaminated clothing and wash before reuse.

Eve contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and delayed

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May

cause redness and pain.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

**General information** 

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk.

Specific methods General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Avoid contact with clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid release to the environment. Do not empty into drains.

SDS US Soft Touch Fabric Softener

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10

of the SDS).

## 8. Exposure controls/personal protection

Occupational exposure limits

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Value Components **Type** 

No biological exposure limits noted for the ingredient(s).

Diethylene glycol (CAS 111-46-6)

TWA

10 mg/m3

**Biological limit values** 

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye

wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Physical state Liquid. **Form** Liquid. Color Light Blue Odor pleasant odor Not available. **Odor threshold** 

5 - 7 (10% in Water/IPA) Ha

Melting point/freezing point Not available. Initial boiling point and boiling

range

230 °F (110 °C)

> 201.0 °F (> 93.9 °C) Pensky-Martens ClosedCup Flash point

Estimated slower than ethylether **Evaporation rate** 

Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

Not determined orunknown Vapor pressure Estimated heavier than air Vapor density

Not available. Relative density

Solubility(ies)

Solubility (water) Not available. Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** 

SDS US Soft Touch Fabric Softener

500 cP **Viscosity** 

Other information

8.4 lb/gal Density Pour point 113 °F (45 °C)

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

## 11. Toxicological information

## Information on likely routes of exposure

Inhalation Prolonged inhalation may beharmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestionhazard.

Symptoms related to the physical, chemical and toxicological characteristics Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May

cause redness and pain.

#### Information on toxicological effects

**Acute toxicity** 

**Test Results Product Species** ACCOSOFT 550-90% HF

<u>Acute</u> **Dermal** 

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

#### US. National Toxicology Program (NTP) Report on Carcinogens

### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not applicable.

Specific target organ toxicity -

repeated exposure

Soft Touch Fabric Softener

May cause damage to organs through prolonged or repeated exposure.

SDS US 4/8 Aspiration hazard Not applicable.

Chronic effects Prolonged inhalation may beharmful.

## 12. Ecological information

**Product** 

**Ecotoxicity**Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Accumulation in aquatic

organisms is expected.

**Species** 

ACCOSOFT 550-90% HF Aquatic Acute Algae EC50 1.33 mg/l, 72 hours Algae Crustacea EC50 Daphnia 0.3 mg/l, 48 hours Fish LC50 Fish 0.62 mg/l, 96 hours **Species Test Results** Components

\_Methyl tallow diethylenetriamine condensate, polyethoxylated, methyl sulfate (CAS 68410-69-5)

Aquatic

Acute

 Crustacea
 EC50
 Daphnia
 0.3 mg/l, 48 hours

 Fish
 LC50
 Fish
 0.62 mg/l, 96 hours

Diethylene glycol (CAS 111-46-6)

Aquatic

Fish LC50 Western mosquitofish (Gambusia affinis) > 32000 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

**Test Results** 

### 13. Disposal considerations

**Disposal instructions** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

UN number UN3082

**UN proper shipping name** Environmentally Hazardous Substance, Llquid, N.O.S. (Quaternary Ammonium Salts)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

UN number UN3082

UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Quaternary Ammonium Salts)

Transport hazard class(es)

Class 9

Soft Touch Fabric Softener

Subsidiary risk Packing group |||

**Environmental hazards** 

Marine pollutant No.

EmS Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Not available.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code IATA; IMDG



### Marine pollutant



## 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated

Superfund Amendments and Reauthorization Act of 1986(SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Material name: ACCOSOFT 550-90% HF

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

#### **US** state regulations

#### US - Pennsylvania RTK - Hazardous Substances: Listed substance

Diethylene glycol (CAS 111-46-6)

### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### **US. Massachusetts RTK - Substance List**

Not regulated.

#### US. Pennsylvania Worker and Community Right-to-Know Law

Diethylene glycol (CAS 111-46-6)

#### **US. Rhode Island RTK**

Not regulated.

### **US. California Proposition 65**

WARNING: This product may contain a chemical known to the State of California to cause cancer and birth defects or other reproductive harm: ethylene oxide (75-21-8).

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm: ethylene glycol (107-21-1).

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

 1,4-dioxane (CAS 123-91-1)
 Listed: January 1, 1988

 Acetaldehyde (CAS 75-07-0)
 Listed: April 1, 1988

## US - California Proposition 65 - CRT: Listed date/Developmental toxin

Inventory name

Methanol (CAS 67-56-1) Listed: March 16, 2012

#### International Inventories

Country(s) or region

Country(s) or region	inventory name	On inventory(yes/no)
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of ExistingCommercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory (NZIoC)	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Inventory (TCSI)	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

## 16. Other information, including date of preparation or last revision

**Issue date** 01-28-2015 **Revision date** 04-22-2016

Version # 04

United States & Puerto Rico

Material name: ACCOSOFT 550-90% HF

On inventory/ves/no)

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### **Disclaimer**

Terms and Conditions. This SDS is designed only as guidance for the products to which it applies. To the greatest extent permitted by applicable law, nothing contained herein creates any legal obligation including contractual obligations, expressed or implied warranties, including any warranties of merchantibility or fitness for particular purpose; or confers any intellectual property rights, including rights to use trademarks or a license to use patents, issued or pending. The information contained herein is based on the manufacturer's own study and the work of others, and is subject to change at any time without further notice. There is no warranty, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein, and neither the provider nor the manufacturer (nor the agents, directors, officers, contractors or employees of either) are liable to any party for any damages of any nature, including direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of any information in this SDS, or in any other way related (directly or indirectly) to this SDS. The receipt and use of this information constitutes consent to these terms and conditions.

#### **Revision information**

Hazard(s) identification: Hazard statement Hazard(s) identification: Prevention Hazard(s) identification: GHS Symbols

Toxicological information: Specific target organ toxicity - repeated exposure

GHS: Classification